

L Number	Hits	Search Text	DB	Time stamp
27	8	((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)" or "print group" or "printer group")) and ((calculat\$3 or estimat\$3 or display\$3) adj3 cost)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 15:00
28	156	((network near2 printer) adj2 (selector or chooser)) or (printer near3 (management or selection or server or array)) and cost and ((computer adj1 program) or (software adj1 (code or means))) and ((calculat\$3 or estimat\$3 or display\$3) adj3 cost)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 15:00
29	9	((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)" or "print group" or "printer group")) and ((calculat\$3 or estimat\$3 or display\$3) near4 cost)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 15:00
30	13	((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)" or "print group" or "printer group")) and ((calculat\$3 or estimat\$3 or display\$3) with cost)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 15:01
31	4	((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)" or "print group" or "printer group")) and ((calculat\$3 or estimat\$3 or display\$3) with cost) not (((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)" or "print group" or "printer group")) and ((calculat\$3 or estimat\$3 or display\$3) near4 cost))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 15:01
-	555	(select or choose) with printer with network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 11:34
-	148	(select or choose) with printer with network and cost	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/13 12:41
-	831	((network near2 printer) adj2 (selector or chooser)) or (printer near3 (management or selection or server or array)) and cost and ((computer adj1 program) or (software adj1 (code or means)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 14:59
-	58	(network near3 printer) and (select or selection or selecting or choose or choosing) same (printer with (pool or candidate or zone))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 11:11

-	12	((network or print\$2) near3 server) and (select or selection or selecting or choose or choosing or determin\$5) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) and cost and ((computer adj1 program) or (software)) and (user adj2 (parameter or setting or criteria))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 13:09
-	14	(spooler or ((network or print\$2) near3 server)) and (select or selection or selecting or choose or choosing or determin\$5) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) and cost and ((computer adj1 program) or (software)) and (user adj2 (parameter or setting or criteria))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 13:13
-	2	((spooler or ((network or print\$2) near3 server)) and (select or selection or selecting or choose or choosing or determin\$5) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) and cost and ((computer adj1 program) or (software)) and (user adj2 (parameter or setting or criteria))) not (((network or print\$2) near3 server) and (select or selection or selecting or choose or choosing or determin\$5) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) and cost and ((computer adj1 program) or (software)) and (user adj2 (parameter or setting or criteria)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 13:10
-	72	(spooler or ((network or print\$2) near3 server)) and (select or selection or selecting or choose or choosing or determin\$5) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) and cost and ((computer adj1 program) or (software)) and (user near5 (parameter or setting or criteria or select\$3 or profile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/16 13:23
-	20	(internet adj2 printing) and ((select or selection or selecting or choose or choosing or chosen) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) and (cost or time or availab\$5 or unavailab\$5 or needs or parameter or setting or criteria))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 10:51
-	462	(internet near3 printing) not (internet adj2 printing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:10
-	7	((internet near3 printing) not (internet adj2 printing)) and (select or selection or selecting or choose or choosing or chosen) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:10
-	27	(internet near3 printing) and (select or selection or selecting or choose or choosing or chosen) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:18
-	114	((internet or web) with print\$3) and (select or selection or selecting or choose or choosing or chosen) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 11:19

-	10	(select or selection or selector or selector or selecting or choose or choosing or chosen) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) same (local\$4 and network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/23 11:03
-	11	(determin\$5 or pick\$3 or designat\$3 or select or selection or selector or selector or selecting or choose or choosing or chosen) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral) same (local\$4 and network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/23 11:02
-	7	((select or selection or selector or selector or selecting or choose or choosing or chosen) with (best or preferred or optimal or optimum or desired or desireable) with (print or printer or peripheral or "printer(s)") with local\$4) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/23 11:04
-	11	((select or selection or selector or selector or selecting or choose or choosing or chosen or choice) with (best or preferred or optimal or optimum or desired or desireable or preferable or most or candidate) with (print or printer or peripheral or "printer(s)") with local\$4) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/23 11:07
-	12	((select or selection or selector or selector or selecting or choose or choosing or chosen or choice) with (best or preferred or optimal or optimum or desired or desireable or preferable or most or candidate) with (print or printing or printer or peripheral or "printer(s)") with local\$4) and (server or network or spool\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/23 11:10
-	43	((select or selection or selector or selector or selecting or choose or choosing or chosen) with (local\$4 or nearby or nearest) with ((image adj1 forming) or (document adj1 forming) or print or printer or peripheral or "printer(s)")) same network same (program or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 13:51
-	4	((select or selection or selector or selector or selecting or choose or choosing or chosen) with ((image adj1 forming) or (document adj1 forming) or print or printer or peripheral or "printer(s)")) same (print\$3 adj1 network) same (program or application) not (((select or selection or selector or selector or selecting or choose or choosing or chosen) with (print or printer or peripheral or "printer(s)")) same (print\$3 adj1 network) same (program or application) not (((select or selection or selector or selector or selecting or choose or choosing or chosen) with (local\$4 or nearby or nearest) with ((image adj1 forming) or (document adj1 forming) or print or printer or peripheral or "printer(s)")) same network same (program or application)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 12:09
-	125	((select or selection or selector or selector or selecting or choose or choosing or chosen) with ((image adj1 forming) or (document adj1 forming) or print or printer or terminal or peripheral or "printer(s)")) same ((print\$3 adj1 network) or (print\$3 adj1 server)) same (program or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 13:42
-	1	6621589.pn. and ((stor\$3 or memory) with (attribute or info\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 13:43

-	8	(best or appropriate or optimal or optimum) adj1 (print or printer or peripheral or "printer(s)") with candidate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 14:27
-	492	(select or selection or selector or selector or selecting or choose or choosing or chosen) adj3 (several or multiple or set) adj4 (print or printer or peripheral or "printer(s)")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 14:29
-	30	((select or selection or selector or selector or selecting or choose or choosing or chosen) adj3 (several or multiple or set) adj4 (print or printer or peripheral or "printer(s)") same (best or appropriate or optimal or optimum)) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 14:43
-	30	((select or selection or selector or selector or selecting or choose or choosing or chosen) adj3 (several or multiple or set) adj4 (print or printer or peripheral or "printer(s)") same (best or appropriate or best or preferred or optimal or optimum or desired or desireable)) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 14:44
-	39	((select or selection or selector or selector or selecting or choose or choosing or chosen) with (several or multiple or set) with (print or printer or peripheral or "printer(s)") same (best or appropriate or best or preferred or optimal or optimum or desired or desireable)) same network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 14:51
-	172	((select or selection or selector or selector or selecting or choose or choosing or chosen) with (several or multiple or set) with (print or printer or peripheral or "printer(s)") same (best or appropriate or best or preferred or optimal or optimum or desired or desireable)) and network) not (((select or selection or selector or selector or selecting or choose or choosing or chosen) with (several or multiple or set) with (print or printer or peripheral or "printer(s)") same (best or appropriate or best or preferred or optimal or optimum or desired or desireable)) same network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 14:54
-	36	("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)") and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 00:00
-	12	((select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)")) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 00:02
-	25	((select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 00:05
-	30	((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 00:19
-	5	((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)")) not (((select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 00:06

-	36	((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 00:23
-	6	((((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)")) not (((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)"))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 00:20
-	222	((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)" or "print group" or "printer group")) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 14:56
-	21	((((identif\$7 or group\$3 or select\$3 or choos\$3 or designat\$3) with ("printer candidates" or "print candidate(s)" or "print candidates" or "printer candidate(s)" or "print choices" or "printer choice(s)" or "print group" or "printer group")) same local\$4) and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 00:35
-	3	list\$3 adj3 (nearest or closest) adj2 "printers"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 11:19
-	13	(select\$3 or group\$3 or list\$3) adj3 (nearest or closest or local) adj2 "printers"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 11:20
-	5	((network near2 printer) adj2 (selector or chooser)) or (printer near3 (management or selection or server or array)) and cost	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 11:34